

# Material Safety Data Sheet

## Paracetamol DC90 MSDS

### Section 1: IDENTIFICATION OF THE SUBSTANCE

PARACETAMOL DC90

### Section 2. COMPOSITION/INFORMATION ON INGREDIENTS

C<sub>8</sub>H<sub>9</sub>NO<sub>2</sub>

Mr 151.2

CAS: 103-90-2

### Section 3. HAZARDS IDENTIFICATION

Possible sensitiser. Irritating to eyes, respiratory system and skin.

### Section 4. FIRST AID MEASURES

Inhalation : Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Skin contact : Immediately wash skin with soap and copious amounts of water. Wash contaminated clothing before reuse.

Eyes contact : Immediately flush eyes with copious amounts of water for at least 15 minutes.

Ingestion : Call a physician. Wash out mouth with water provided person is conscious.

*In any case seek medical advice and call the nearest poison center.*

### Section 5. FIRE FIGHTING MEASURES

Extinguishing media : Water spray. Carbon dioxide, dry chemical powder or appropriate foam.

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Emits toxic fumes under fire conditions.

### Section 6. ACCIDENTAL RELEASE MEASURES

Wear self-contained breathing apparatus, rubber boots and heavy rubber gloves. Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pick up is complete.

### Section 7. HANDLING AND STORAGE

Handling : Approved respirator. Chemical safety goggles. Rubber gloves. Use only in chemical fume hood. Safety shower and eye-bath. Do not get in eyes, on skin, on clothing. Wash thoroughly after handling. Avoid contact and inhalation.

Storage : Protect from light. Keep unopened in the original container at about 2-8 °C.

### Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Refer to section 7.

## **Section 9. PHYSICAL AND CHEMICALS PROPERTIES**

Appearance : White crystalline powder.

mp: 168-172 °C, sparingly soluble in water, freely soluble in alcohol, very slightly soluble in methylene chloride.

## **Section 10. STABILITY AND REACTIVITY**

Incompatibilities : Strong oxidising agents.

Hazardous combustion or decomposition products : CO<sub>x</sub>, NO<sub>x</sub>.

## **Section 11. TOXICOLOGICAL INFORMATION**

RTECS No : AE4200000

LD50 (oral-rat): 2400 mg/kg. Contact with dust may cause an allergic skin reaction.

No carcinogenic effects have been observed.

Ames test: negative.

*See actual entry in RTECS for complete information.*

## **Section 12. ECOLOGICAL INFORMATION**

Octanol/water partition coefficient Log Pow: 0.49.

EC50 (Daphnia magna, 24h): 250 mg/l.

## **Section 13. DISPOSAL CONSIDERATIONS**

Incinerate in an approved facility.

*Observe all federal state and local environmental regulations.*

## **Section 14. TRANSPORT INFORMATION**

Not applicable.

## **Section 15. REGULATORY INFORMATION**

EINECS No : 203-157-5

Xi, R36/37/38, S26, S36.

## **Section 16. OTHER INFORMATION**

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages.