

**DRAZA FORTE RB4 2X10KG BOX GB**Version 2 / GB
1020000075521/7
Revision Date: 10.04.2007
Print Date: 11.07.2007**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING****Product information**

Trade name DRAZA FORTE RB4 2X10KG BOX GB
Product code (UVP) 05273021
Usage Molluscicide
Company Bayer CropScience Limited
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
Great Britain

Telephone +44(0)1223 226500
Telefax +44(0)1223 426240
Emergency telephone number 0800-220876 (UK 24 hr)
+44(0)1603-242424 (Overseas 24 hr)

2. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical nature**

Bait (ready for use) (RB)
Methiocarb 4%

Hazardous components

Chemical Name	CAS-No. / EINECS-No.	Symbol(s)	R-phrases(s)	Concentration [%]
Methiocarb	2032-65-7 217-991-2	T, N	R25, R50/53	4.00
Flour				> 1.00

3. HAZARDS IDENTIFICATION**Risk advice to man and the environment**

Harmful if swallowed.
Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES**General advice**

Move out of dangerous area. Place and transport victim in stable position (lying sideways).
Remove contaminated clothing immediately and dispose of safely.

Skin contact

Wash off immediately with soap and plenty of water.

Eye contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician or poison control center immediately.



DRAZA FORTE RB4 2X10KG BOX GB

Version 2 / GB
102000007552

2/7
Revision Date: 10.04.2007
Print Date: 11.07.2007

Ingestion

Do NOT induce vomiting. Rinse mouth. Call a physician or poison control center immediately.

Notes to Physician

Symptoms

Local: Temporary blurred vision due to contraction of the pupils (miosis) following contact with the eyes., Systemic: Salivation, flushing, dizziness, Abdominal pain, discomfort in the chest, muscle twitching, Convulsions, respiratory failure, headache, Vomiting, Diarrhoea, sweating, blurred vision, Nausea, low blood pressure

Treatment

Monitoring of respiratory, cardiac and central nervous system.
Monitoring of the blood picture.
Observe specific parameters: red blood cell and plasma cholinesterase.
ECG - monitoring (Electrocardiogram).
Endotracheal intubation and gastric lavage, followed by administration of charcoal.
Keep airway clear, administer artificial respiration if necessary.
Against convulsions: give diazepam. For adults 5-10 mg intravenously as necessary until fully sedated; for children 2.5 mg i.v.
Treatment for adults: for all cases a high dose of atropine (2 to 4 mg) repeated every 10 to 15 minutes as needed.
Contraindications: oximes (pralidoxime, oblidoxime), succinyl choline, aminophylline

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water spray
Carbon dioxide (CO2)
Foam
Sand

Special protective equipment for fire-fighters

In the event of fire and/or explosion do not breathe fumes.
In the event of fire, wear self-contained breathing apparatus.

Further information

Contain the spread of the fire-fighting media.
Do not allow run-off from fire fighting to enter drains or water courses.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Avoid contact with spilled product or contaminated surfaces.
Use personal protective equipment.

Environmental Precautions

Do not allow to get into surface water, drains and ground water.
If spillage enters drains leading to sewage works inform local water company immediately.
If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

Methods for Cleaning Up

Use mechanical handling equipment.
Clean contaminated floors and objects thoroughly, observing environmental regulations.
Keep in suitable, closed containers for disposal.

**DRAZA FORTE RB4 2X10KG BOX GB**Version 2 / GB
1020000075523/7
Revision Date: 10.04.2007
Print Date: 11.07.2007**Additional Advice**

Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

7. HANDLING AND STORAGE**Handling**

Advice on safe handling

Use only in area provided with appropriate exhaust ventilation.

Storage

Requirements for storage areas and containers

Store in original container.

Store in a place accessible by authorized persons only.

Keep containers tightly closed in a dry, cool and well-ventilated place.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Storage stability

Storage temperature < 50 °C

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Components with workplace control parameters

Components	CAS-No.	Control parameters	Update	Basis
Flour (Inhalable dust.)		10 mg/m ³ (TWA)	2005	EH40 WEL
Flour (Inhalable dust.)		30 mg/m ³ (STEL)	2005	EH40 WEL

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory Protection

Wear respirator with a particle filter mask (protection factor 10) conforming to European Norm EN149FFP2 or EN140P2 or equivalent.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand Protection

Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness 0,40 mm). Wash when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed. Wash hands always before eating,

**DRAZA FORTE RB4 2X10KG BOX GB**Version 2 / GB
1020000075524/7
Revision Date: 10.04.2007
Print Date: 11.07.2007

drinking, smoking or using the toilet.

Eye protection Wear goggles conforming to EN166 (Field of Use 5 or equivalent).

Skin and body protection Wear standard coverall and type 5 suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

Hygiene measures

Avoid contact with skin, eyes and clothing.

Keep working clothes separately.

Remove soiled clothing immediately and clean thoroughly before using again.

Garments that cannot be cleaned must be destroyed (burnt).

Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance**Form solid, pellets
Colour blue
Odour weak, characteristic**Safety data**

Water solubility insoluble, only capable of swelling

10. STABILITY AND REACTIVITY

Conditions to Avoid Extremes of temperature and direct sunlight.

Hazardous Reactions No hazardous reactions when stored and handled according to prescribed instructions.
Stable under recommended storage conditions.**11. TOXICOLOGICAL INFORMATION**

Acute Oral Toxicity LD50 (rat) > 500 - < 1,000 mg/kg

Acute Inhalation Toxicity LC50 (rat) > 0.224 mg/l
Exposure time: 4 h
Determined in the form of a respirable fine dust.
Highest attainable concentration.

Acute Dermal Toxicity LD50 (rat) > 2,000 mg/kg

Skin Irritation No skin irritation. (rabbit)

Eye Irritation No eye irritation. (rabbit)

**DRAZA FORTE RB4 2X10KG BOX GB**Version 2 / GB
1020000075525/7
Revision Date: 10.04.2007
Print Date: 11.07.2007

Sensitization	Non-sensitizing. (guinea pig) OECD Test Guideline 406, Buehler test
---------------	--

12. ECOLOGICAL INFORMATION**Ecotoxicity effects**

Toxicity to Fish	LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.65 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient.
Toxicity to daphnia	EC50 (Water flea (Daphnia magna)) 0.0077 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient.
Toxicity to algae	IC50 (Desmodesmus subspicatus) 2.2 mg/l Growth rate Exposure time: 72 h The value mentioned relates to the active ingredient.

13. DISPOSAL CONSIDERATIONS**Product**

In accordance with current regulations and, if necessary, after consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant.

Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

Contaminated packaging

Empty remaining contents.

Do not use containers for other products.

Clean container with water.

Rinsed packaging may be acceptable for landfill, otherwise incineration will be required in accordance with local regulations.

Not completely emptied packagings should be disposed of as hazardous waste.

Waste key for the unused product

020108 agrochemical waste containing dangerous substances

14. TRANSPORT INFORMATION**ADR/RID/ADNR**

UN-No.	3077
Labels	9
Packaging group	III
Hazard no.	90
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (MERCAPTODIMETHUR MIXTURE)

IMDG

UN-No.	3077
--------	------

**DRAZA FORTE RB4 2X10KG BOX GB**Version 2 / GB
102000075526/7
Revision Date: 10.04.2007
Print Date: 11.07.2007

Labels	9
Packaging group	III
EmS	F-A , S-F
Marine pollutant	Marine pollutant
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (MERCAPTODIMETHUR MIXTURE)

IATA

UN-No.	3077
Labels	9
Packaging group	III
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (MERCAPTODIMETHUR MIXTURE)

UK 'Carriage' Regulations

UN-No.	3077
Labels	9
Packaging group	III
Hazard no.	90
Emergency action code	2Z
Description of the goods	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (MERCAPTODIMETHUR MIXTURE)

15. REGULATORY INFORMATION

This product has been classified in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002: CHIP 3 and any subsequent amendments.

Classification:

Labelling according to EC Directives

Hazardous components which must be listed on the label:

- Methiocarb

Symbol(s)

Xn	Harmful
N	Dangerous for the environment

R-phrases)

R22	Harmful if swallowed.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases)

S35	This material and its container must be disposed of in a safe way.
S57	Use appropriate container to avoid environmental contamination.

CLASSIFICATION ACCORDING TO SPECIFIC UK REGULATIONS:

The labelling information below is that which has been approved under 'The Control of Pesticides Regulations 1986' and/or 'Part III of the Food and Environment Protection Act 1985' and/or 'Plant Protection Product Regulations 1999' and any subsequent amendments and may differ from that indicated by any toxicological and/or other testing otherwise indicated in this 'Safety Data Sheet'.

**DRAZA FORTE RB4 2X10KG BOX GB**Version 2 / GB
102000075527/7
Revision Date: 10.04.2007
Print Date: 11.07.2007

Symbol(s)

Xn	Harmful
N	Dangerous for the environment

R-phrases

R22	Harmful if swallowed.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases

S35	This material and its container must be disposed of in a safe way.
S57	Use appropriate container to avoid environmental contamination.

Exceptional labelling

To avoid risks to man and the environment, comply with the instructions for use.

Further information

WHO-classification: III (Slightly hazardous)

16. OTHER INFORMATION**Further information**

Text of R phrases mentioned in Section 2:

R25	Toxic if swallowed.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.