

**NATIVO WG75 10X1KG BOX BE**Version 1 / GB
1020000112731/7
Revision Date: 18.07.2006
Print Date: 07.09.2006**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING****Product information**

Trade name NATIVO WG75 10X1KG BOX BE
Product code (UVP) 06418015
Usage fungicide
Company Bayer CropScience Limited
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
Great Britain

Telephone +44(0)1223 226500
Telefax +44(0)1223 426240
Emergency telephone number 0800-220876 (UK 24 hr)
+44(0)1603-242424 (Overseas 24 hr)

2. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical nature**

Water dispersible granules (WG)
Trifloxystrobin 25%, Tebuconazole 50%

Hazardous components

| Chemical Name | CAS-No. / EINECS-No. | Symbol(s) | R-phrases(s) | Concentration [%] |
|--|-------------------------|-----------|---------------------|-------------------|
| Trifloxystrobin | 141517-21-7 | Xi, N | R43, R50/53 | 25.00 |
| Tebuconazole | 107534-96-3 | Xn, N | R22, R51/53, R63 | 50.00 |
| Alkylaryl sulfonate | 91078-64-7 293-346-9 | Xn | R20/22, R41, R52/53 | > 1.00 - < 5.00 |
| Methylene-linked condensation product of arylsulphonic | 90387-57-8 291-331-1 | | R52/53 | > 5.00 - < 25.00 |
| Kaolin | 1332-58-7 | | | > 5.00 - < 25.00 |

3. HAZARDS IDENTIFICATION**Risk advice to man and the environment**

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Possible risk of harm to the unborn child.

4. FIRST AID MEASURES**General advice**

Remove contaminated clothing immediately and dispose of safely. Move out of dangerous area.



NATIVO WG75 10X1KG BOX BE

Version 1 / GB
102000011273

2/7
Revision Date: 18.07.2006
Print Date: 07.09.2006

Place and transport victim in stable position (lying sideways).

Inhalation

Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

Skin contact

Wash off thoroughly with plenty of water and soap, if available with polyethyleneglycol 400, subsequently rinse with water.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.

Ingestion

Do not induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

Notes to Physician

Treatment

Treat symptomatically.
Gastric lavage is not normally required. If a significant amount (more than a mouthful) has been ingested, administer activated charcoal and sodium sulphate.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

water spray
carbon dioxide (CO₂)
foam
sand

Specific hazards during fire fighting

In the event of fire the following can be released:
nitrous gases (NO_x)
hydrogen cyanide (hydrocyanic acid)
carbon monoxide (CO)
hydrogen chloride (HCl)
hydrogen fluoride

Special protective equipment for fire-fighters

In the event of fire and/or explosion do not breathe fumes.
Use breathing apparatus.

Further information

Contain the spread of the fire-fighting media.
Do not allow run-off from fire fighting to enter drains or water courses.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Avoid contact with spilled product or contaminated surfaces.
Wear personal protective equipment. Unprotected persons must be kept away.
Keep away sources of ignition.

**NATIVO WG75 10X1KG BOX BE**Version 1 / GB
1020000112733/7
Revision Date: 18.07.2006
Print Date: 07.09.2006**Environmental Precautions**

Do not discharge into the drains/surface water/groundwater.
 If spillage enters drains leading to sewage works inform local water company immediately.
 If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

Methods for Cleaning Up

Clean contaminated floors and objects thoroughly, observing environmental regulations.
 Keep in suitable, closed containers for disposal.

Additional Advice

Information regarding personal protective equipment, see section 8.
 Information regarding waste disposal, see section 13.

7. HANDLING AND STORAGE**Handling**

Advice on safe handling

Use only in area provided with appropriate exhaust ventilation.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Take measures to prevent the build up of electrostatic charge.

Storage

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place.

Store in a place accessible by authorized persons only.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Storage stability

Storage temperature < 50 °C

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Components with workplace control parameters

| Components | CAS-No. | Control parameters | Update | Basis |
|------------------------------|-----------|------------------------------|--------|----------|
| Kaolin (Respirable dust.) | 1332-58-7 | 2 mg/m ³ (TWA) | 2005 | EH40 WEL |

Personal protective equipment

Respiratory Protection

Wear respirator conforming to EN149FFP1.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**NATIVO WG75 10X1KG BOX BE**Version 1 / GB
1020000112734/7
Revision Date: 18.07.2006
Print Date: 07.09.2006

| | |
|--------------------------|---|
| Hand Protection | Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness 0,40 mm). Wash when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed. Wash hands always before eating, drinking, smoking or using the toilet. |
| Eye protection | Wear goggles conforming to EN166 (Field of Use 5 or equivalent). |
| Skin and body protection | Wear standard coverall and type 5 suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. |
| Hygiene measures | Avoid contact with skin, eyes and clothing. Keep working clothes separately. Wash hands before breaks and at the end of workday. Wash hands immediately after work, if necessary take a shower. Remove soiled and/or soaked clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt). |
| Protective measures | If product is handled while not enclosed, and if contact may occur: complete suit protecting against chemicals |

9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

| | |
|--------|------------------------|
| Form | granular |
| Colour | white |
| Odour | slight, specific odour |

Safety data

| | |
|---------------------------|---|
| Flammability (solid, gas) | The product is not highly flammable. Flammability (solids) |
| Autoignition Temperature | 280 °C |
| Water Solubility | dispersible |
| Explosivity | Not explosive |

10. STABILITY AND REACTIVITY

| | |
|---------------------|--|
| Conditions to Avoid | Extremes of temperature and direct sunlight. |
| Materials to avoid | None. |
| Hazardous Reactions | No hazardous reactions when stored and handled according to prescribed instructions. |

**NATIVO WG75 10X1KG BOX BE**Version 1 / GB
1020000112735/7
Revision Date: 18.07.2006
Print Date: 07.09.2006

11. TOXICOLOGICAL INFORMATION

| | |
|-----------------------|--|
| Acute Oral Toxicity | LD50 (rat) \geq 5,000 mg/kg |
| Acute Dermal Toxicity | LD50 (rat) > 2,000 mg/kg |
| Skin Irritation | Non-irritant. (rabbit) |
| Eye Irritation | Non-irritant. (rabbit) |
| Sensitization | Non-sensitizing. (guinea pig) OECD Test Guideline 406, Magnusson & Kligman test |

12. ECOLOGICAL INFORMATION**Ecotoxicity effects**

| | |
|---------------------|---|
| Toxicity to Fish | LC50 (Rainbow trout (<i>Oncorhynchus mykiss</i>)) 0.064 mg/l Exposure time: 96 h |
| Toxicity to daphnia | LC50 (Water flea (<i>Daphnia magna</i>)) 0.0138 mg/l Exposure time: 48 h |
| Toxicity to algae | EC50 (<i>Pseudokirchneriella subcapitata</i>) > 0.150 mg/l growth rate Exposure time: 72 h |

13. DISPOSAL CONSIDERATIONS**Product**

In accordance with current regulations may be taken to waste disposal site or incineration plant, after consultation with site operator and/or with the responsible authority.

Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

Contaminated packaging

Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.

Add washings to sprayer at time of filling.

Dispose of empty and cleaned packaging safely.

Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose.

Return large containers to supplier.

Follow advice on product label and/or leaflet.

Waste key for the unused product

020108 agrochemical waste containing dangerous substances

14. TRANSPORT INFORMATION**ADR/RID/ADNR**UN-No
Labels**3077**
9

**NATIVO WG75 10X1KG BOX BE**Version 1 / GB
1020000112736/7
Revision Date: 18.07.2006
Print Date: 07.09.2006

| | |
|--------------------------|---|
| Packaging group | III |
| Hazard no. | 90 |
| Description of the goods | UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TEBUCONAZOL, TRIFLOXYSTROBIN MIXTURE) |

IMDG

| | |
|--------------------------|--|
| UN-No | 3077 |
| Class | 9 |
| Packaging group | III |
| EmS | F-A , S-F |
| Marine pollutant | Marine pollutant |
| Description of the goods | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TEBUCONAZOL, TRIFLOXYSTROBIN MIXTURE) |

IATA

| | |
|--------------------------|--|
| UN-No | 3077 |
| Class | 9 |
| Packaging group | III |
| Description of the goods | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TEBUCONAZOL, TRIFLOXYSTROBIN MIXTURE) |

UK 'Carriage' Regulations

| | |
|--------------------------|---|
| UN-No | 3077 |
| Labels | 9 |
| Packaging group | III |
| Hazard no. | 90 |
| Emergency action code | 2Z |
| Description of the goods | UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TEBUCONAZOL, TRIFLOXYSTROBIN MIXTURE) |

15. REGULATORY INFORMATION

This product has been classified in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002: CHIP 3 and any subsequent amendments.

Classification:

Labelling according to EC Directives

Hazardous components which must be listed on the label:

- Trifloxystrobin
- Tebuconazole

Symbol(s)

| | |
|----|-------------------------------|
| Xn | Harmful |
| N | Dangerous for the environment |

R-phrases)

| | |
|--------|--|
| R63 | Possible risk of harm to the unborn child. |
| R50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |

**NATIVO WG75 10X1KG BOX BE**Version 1 / GB
1020000112737/7
Revision Date: 18.07.2006
Print Date: 07.09.2006

S-phrases(s)

- | | |
|--------|--|
| S35 | This material and its container must be disposed of in a safe way. |
| S36/37 | Wear suitable protective clothing and gloves. |
| S57 | Use appropriate container to avoid environmental contamination. |

Exceptional labelling

To avoid risks to man and the environment, comply with the instructions for use.

Further information

WHO-classification: III (Slightly hazardous)

16. OTHER INFORMATION**Further information**

Text of R phrases mentioned in Section 2:

- | | |
|--------|--|
| R20/22 | Harmful by inhalation and if swallowed. |
| R22 | Harmful if swallowed. |
| R41 | Risk of serious damage to eyes. |
| R43 | May cause sensitization by skin contact. |
| R50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R51/53 | Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R52/53 | Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R63 | Possible risk of harm to the unborn child. |

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

| |
|--|
| Changes since the last version are highlighted in the margin. This version replaces all previous versions. |
|--|